

References

- American Rivers. 1997. North America's most endangered and threatened rivers of 1997. American Rivers, Washington, DC.
- Bacon, L. M. & J. J. Rotella, 1998. Breeding ecology of interior least terns on the unregulated Yellowstone river, Montana. *J. Field Ornithol.* 69:391-401.
- Bain, M. L. 1992. Study designs and sampling techniques for community-level assessment of large rivers. In T. F. Cuffney & M. E. Gurtz (eds.) *Biological assessments in large rivers.* 5th Annual Technical Information Workshop, N. Am. Benthol. Soc., Louisville, Kentucky:63-74.
- Bayley, P. B. 1991. The flood pulse advantage and the restoration of river-floodplain systems. *Regul. Rivers: Res. Manage.* 6:75-86.
- Bayley, P. B. & H. W. Li. 1992. Riverine fishes. In P. Calow & G. E. Petts (eds.) *The rivers handbook.* Vol. 1. Blackwell Scientific Publications, London: 251-281.
- Benke, A. C. 1990. A perspective on America's vanishing streams. *J. N. Am. Benthol. Soc.* 9:77-88.
- Bodensteiner, L. R. & W. M. Lewis. 1992. Role of temperature, dissolved oxygen, and backwaters in the winter survival of freshwater drum (*Aplodinotus grunniens*) in the Mississippi River. *Can. J. Fish. Aquat. Sci.* 49:173-184.
- Boon, P. J., P. Calow & G. E. Petts 1992. *River conservation and management.* John Wiley & Sons, Chichester.
- Bovee, K. D. 1982. A guide to stream habitat analysis using the Instream Flow Incremental Methodology. Instream Flow Information Paper No. 12 FWS/OBS-82-26. Fish and Wildlife Service Biological Services Program, Ft. Collins, Colorado.
- Bragg, T. B. & A. K. Tatschl. 1977. Changes in flood-plain vegetation and land use along the Missouri River from 1826 to 1972. *Environ. Manage.* 1:343-348.
- Bravard, J.-P., C. Amoros & G. Pantou. 1986. The impact of civil engineering works on the successions of communities in a fluvial system. *Oikos* 47:92-111.
- Bravard, J.-P. & G. E. Petts. 1996. Human impacts on fluvial hydrosystems. In G. E. Petts & C. Amoros (eds.) *Fluvial hydrosystems.* Chapman & Hall, London, England:242-262.
- Calow, P. & G. E. Petts. 1992. *The rivers handbook.* Blackwell Scientific Publications, London.

- Colwell, R. K. 1974. Predictability, constancy, and contingency of periodic phenomena. *Ecology* 55:1148-1153.
- Copp, G. H. 1991. Typology of aquatic habitats in the Great Ouse, a small regulated lowland river. *Reg. Rivers: Res. Manage.* 6:125-134.
- Davies, B. R. & K. F. Walker (eds.). 1986. The ecology of river systems. Dr. W. Junk Publishers, Dordrecht.
- Dieterman, D. J., M. P. Ruggles, M. L. Wildhaber & D. L. Galat (eds.). 1997. Population structure and habitat use of benthic fishes along the Missouri and lower Yellowstone rivers. 1996 Annual Report of the Missouri River Benthic Fish Study PD-95-5831 to U.S. Army Corps of Engineers and U.S. Bureau of Reclamation. Missouri Cooperative Fish & Wildlife Research Unit, University of Missouri, Columbia.
- Dodge, D. P. (ed.). 1989. Proceedings of the international large rivers symposium (LARS). *Can. Spec. Publ. Fish. & Aquat. Sci.* 106, Dept. Fisheries & Oceans, Ottawa.
- Dynesius, M. & C. Nilsson. 1994. Fragmentation and flow regulation of river systems in the northern third of the world. *Science* 266:753-762.
- Farrand, J. (ed.). 1985. The Audubon Society master guide to birding. Alfred A. Knopf, New York.
- Ferrell, J. R. 1993. Big dam era. Missouri River Division, U. S. Army Corps of Engineers, Omaha, Nebraska.
- Funk, J. L. & J. W. Robinson. 1974. Changes in the channel of the lower Missouri River and effects on fish and wildlife. *Aquatic Series 11*. Missouri Department of Conservation, Jefferson City.
- Galat, D. L., J. W. Robinson & L. W. Hesse. 1996. Restoring aquatic resources to the lower Missouri River: issues and initiatives. In D. L. Galat & A. G. Frazier (eds.) Overview of river-floodplain ecology in the upper Mississippi River basin. Vol. 3 of J. A. Kelmelis (ed.) Science for floodplain management into the 21st century. U.S. Government Printing Office, Washington, DC:49-72.
- Galat, D. L., L. H. Fredrickson, D. D. Humburg, K. J. Bataille, J. R. Bodie, J. Dohrenwend, G. T. Gelwicks, J. E. Havel, D. L. Helmers, J. B. Hooker, J. R. Jones, M. F. Knowlton, J. Kubisiak, J. Mazourek, A. C. McColpin, R. B. Renken and R. D. Semlitsch. 1998. Flooding to restore connectivity of regulated, large river wetlands. *BioScience* 48:721-733.
- Gore, J. A. (ed.). 1985. The restoration of rivers and streams. Butterworth Publishers, Boston.

- Gore, J. A. & F. D. Shields. 1995. Can large rivers be restored? BioScience 45:142-152.
- Harkness, R. E., W. R. Berkas, S. W. Norbeck & S. M. Robinson, 1997. Water Resources data, North Dakota, Water Year 1997. Vol.1, Surface water, Water-data Report ND-97-1. U.S. Geological Survey , Water Resources Division, Bismarck, North Dakota.
- Haslam, S. M. 1997. The river scene. Cambridge University Press, Cambridge.
- Hedman, E. R. & D. G. Jorgensen. 1990. Surface and ground-water interactions and hydrologic budget of the Missouri River valley aquifer between Yankton, South Dakota, and St. Louis, Missouri. Atlas HA-721, U.S. Geological Survey, Denver, CO.
- Heede, B. H. & J. N. Rinne. 1990. Hydrodynamic and fluvial morphological processes: implications for fisheries management and research. N. Am. J. Fish. Manage. 10:249–268.
- Hesse, L. W. 1987. Taming the wild Missouri River: what it has cost? Fisheries 12(2):2-9.
- Hesse, L. W. 1996. Floral and faunal trends in the middle Missouri River. In D. L. Galat & A. G. Frazier (eds.) Overview of river-floodplain ecology in the upper Mississippi River basin. Vol. 3 of J. A. Kelmelis (ed.) Science for floodplain management into the 21st century. U.S. Government Printing Office, Washington, DC: 73-90.
- Hesse, L. W., C. W. Wolfe & N. K. Cole 1988. Some aspects of energy flow in the Missouri River ecosystem and a rationale for recovery. In N. G. Benson (ed.) The Missouri River: the resources, their uses and values. North Central Div., Am. Fish. Soc., Spec. Pub. No. 8:13-29.
- Hesse, L. W. & G. E. Mestl. 1993. An alternative hydrological cycle for the Missouri River based on the pre-control condition. N. Am. J. Fish. Manage. 13:360-366.
- Hesse, L. W., J. C. Schmulbach, J. M. Carr, K. D. Keenlyne, D. G. Unkenholz, J. W. Robinson & G. E. Mestl. 1989. Missouri River fishery resources in relation to past, present and future stresses. Can. Spec. Publ. Fish. Aquat. Sci. 106:352-371.
- Hesse, L. W., G. E. Mestl & J. W. Robinson. 1993. Status of selected fishes in the Missouri River in Nebraska with recommendations for their recovery. In L. W. Hesse, C. B. Stalnaker, N. G. Benson & J.R. Zuboy (eds.) Restoration planning for the rivers of the Mississippi River ecosystem. Biol. Rep. 19, National Biological Survey, Washington, DC:327-340.
- Horwitz, R. J. 1978. Temporal variability patterns and the distributional patterns of stream fishes. Ecol. Monogr. 48:307-321.

- Hughes, R. M. 1995. Defining acceptable biological status by comparing with reference conditions. In W. S. Davis & T. P. Simon (eds.) *Biological assessment and criteria: tools for water resource planning*. Lewis Publ., Boca Raton, FL:31-47.
- Hughes, R. M., D. P. Larson & J. M. Omernik. 1986. Regional reference sites: a method for assessing stream potential. *Environ. Manage.* 10:629-635.
- Hughes, R. M., T. R. Whittier, C. M. Rohm & D. P. Larsen. 1990. A regional framework for establishing recovery criteria. *Environ. Manage.* 14:673-683.
- Johnson, B. L., W. B. Richardson & T. J. Naimo. 1995. Past present and future concepts in large river ecology. *BioScience* 45:134-141.
- Johnson, P. A. & T. M. Heil. 1996. Uncertainty in estimating bankfull conditions. *J. Am. Wat. Resour. Assoc.* 32:1283-1291.
- Johnson, W. C. 1992. Dams and riparian forests: case study from the upper Missouri River. *Rivers* 3:229-242.
- Johnson, W. C., R. L. Burgess & W. R. Keammerer. 1976. Forest overstory vegetation and environment on the Missouri River floodplain in North Dakota. *Ecol. Monogr.* 46:59-84.
- Junk, W. J., P. B. Bayley & R. E. Sparks. 1989. The flood pulse concept in river-floodplain systems. *Can. Spec. Publ. Fish. Aquat. Sci.* 106:110-127.
- Karr, J. R. 1993. Measuring biological integrity: lessons from streams. In S. Woodley, J. Kay & G. Francis (eds.) *Ecological integrity and the management of ecosystems*. St. Lucie Press, Delray Beach, FL:83-104.
- Karr, J. R. & D. R. Dudley. 1981. Ecological perspectives on water quality goals. *Environ. Manage.* 5:55-68.
- Karr, J. R., L. A. Toth & D. R. Dudley. 1985. Fish communities of midwestern rivers: a history of degradation. *BioScience* 35:90-95.
- Kingsolving, A. D. & M. B. Bain. 1993. Fish assemblage recovery along a riverine disturbance gradient. *Ecol. Applic.* 3:531-544.
- Leopold, L. B., W. G. Wolman & J. P. Miller. 1964. *Fluvial processes in geomorphology*. Freeman & Sons, San Francisco.
- Lorenz, C. M., G. M. Van Dijk, A. G. M. Van Hattum & W. P. Cofin., 1997. Concepts in river ecology: implications for indicator development. *Regul. Rivers: Res. Manage.* 13:501-516.

- Michener, W. K. & R. A. Haeuber. 1998. Flooding: natural and managed disturbances. *BioScience* 48:677-680.
- Molles, M. C. Jr., C. S. Crawford, L. M. Ellis, H. M. Valett & C. N. Dahm. 1998. Managed flooding for riparian ecosystem restoration *BioScience* 48:749-756.
- National Research Council. 1992. Restoration of aquatic ecosystems. National Academy Press, Washington, DC.
- Nature Conservancy. 1997. Indicators of hydrologic alteration: user's manual. Smythe Scientific Software, Boulder, CO.
- Omernik, J. M. 1987. Ecoregions of the conterminous United States. *An. Assoc. Am. Geog.* 77:118-125.
- Parrett, C., N. B. Melcher & R. W. James Jr. 1993. Flood discharges in the upper Mississippi River basin, 1993. U.S. Geological Survey Circular 1120-A, Denver, Colorado.
- Petts, G. E. 1984. Impounded rivers. Perspectives for ecological management. John Wiley & Sons, Chichester.
- Petts G. E. & C. Amoros. 1996a. The fluvial hydrosystem. In G. E. Petts & C. Amoros (eds.) *Fluvial hydrosystems*. Chapman & Hall, London:1-12.
- Petts G. E. & C. Amoros. 1996b. Fluvial hydrosystems: a management perspective. In G. E. Petts & C. Amoros (eds.) *Fluvial hydrosystems*. Chapman & Hall, London:263-278.
- Pfleiger, W. L. 1971. A distributional study of Missouri fishes. *Univ. Kansas Pubs., Mus. Nat. Hist.* 20:225-570.
- Pfleiger, W. L. 1997. The fishes of Missouri. Missouri Dept. Conservation. Jefferson City.
- Pfleiger, W. L. & T. B. Grace. 1987. Changes in the fish fauna of the lower Missouri River, 1940-1983. In W. J. Matthews & D. C. Heins (eds.) *Community and evolutionary ecology of North American stream fishes*. Univ. Oklahoma Press, Norman:166-177.
- Poff, N. L. & J. V. Ward. 1989. Implications of streamflow variability and predictability for lotic community structure: a regional analysis of streamflow patterns. *Can. J. Fish. Aquat. Sci.* 46:1805-1818.
- Poff, N. L. & J. V. Ward. 1990. Physical habitat template of lotic systems: recovery in the context of historical pattern of spatiotemporal heterogeneity. *Environ. Manage.* 14:629-645.

- Poff, N. L. 1996. A hydrogeography of unregulated streams in the United States and an examination of scale-dependence in some hydrological descriptors. *Freshwat. Biol.* 36:71-91.
- Poff, N. L. & 7 coauthors. 1997. The natural flow regime. *BioScience* 47:769-784.
- Poizat, G. & D. Pont. 1996. Multi-scale approach to species habitat relationships: juvenile fish in a large river section. *Freshwat. Biol.* 36:611-622.
- Qi Hu, C. M. Woodruff & S. E. Mudrick. 1998. Interdecadal variations of annual precipitation in the central United States. *Bull. Am. Meteorol. Soc.* 79:221-229.
- Reash, R. J. 1998. Considerations for characterizing midwestern large-river habitats. In T. P. Simon (ed.) *Assessing the sustainability and biological integrity of water resources using fish communities*. CRC Press, Boca Raton, FL:463-473.
- Resh, V. H., A. V. Brown, A. P. Covich, M. E. Gurtz, H. W. Li, G. W. Minshall, S. R. Reice, A. L. Sheldon, J. B. Wallace & R. Wissmar. 1988. The role of disturbance in stream ecology. *J. N. Am. Benthol. Soc.* 7:433-455.
- Richter, B. D., J. V. Baumgartner, J. Powell & D. P. Braun. 1996. A method for assessing hydrological alteration within ecosystems. *Conserv. Biol.* 10:1163-1174.
- Richter, B. D., J. V. Baumgartner, R. Wigington & D. P. Braun. 1997. How much water does a river need? *Freshwat. Biol.* 37:231-249.
- Richter, B. D., J. V. Baumgartner, D. P. Braun & J. Powell. 1998. Assessing hydrological connectivity within river ecosystems. *Reg. Rivers: Res. Manage.* 14:329-340.
- Scheidegger K. J. & M. B. Bain. 1995. Larval fish distribution and microhabitat use in free-flowing and regulated rivers. *Copeia* 1995:125-135.
- Schlosser, I. J. 1991. Stream fish ecology: a landscape perspective. *BioScience* 41:704-712.
- Schmidt, J. C., R. H. Webb, R. A. Valdez, G. R. Marzolf & L. E. Stevens. 1998. Science and values in river restoration in the Grand Canyon. *BioScience* 48:735-747.
- Schmulbach, J. C., L. W. Hesse & J. E. Bush. 1992. The Missouri River—Great Plains thread of life. In C. D. Becker & D. A. Nietzel (eds.) *Water quality in North American river systems*. Batelle Press, Columbus, Ohio:137-158.
- Scott, M. T. & L. A. Nielsen. 1989. Young fish distribution in backwaters and main-channel borders of the Kanawha River, West Virginia. *J. Fish Biol.* 35(Suppl. A):21-27.

- Scott, M. L., G. T. Auble & J. Friedman. 1997. Flood dependency of cottonwood establishment along the Missouri River, Montana, USA. *Ecol. Applic.* 7:677-690.
- Shields, R. R., M. K. White, P. N. Ladd, C. L. Chambers & K. A. Dodge. 1997. Water resources data, Montana, Water Year 1997, Water-data Report MT-97-1, U.S. Geological Survey, Helena, Montana.
- Simon, T. P. & E. B. Emery. 1995. Modification and assessment of an index of biotic integrity to quantify water resource quality in great rivers. *Reg. Rivers: Res. Manage.* 11:283-298.
- Smith, J. W. 1996. Wildlife use of the Missouri and Mississippi River basins—an ecological review. In D. L. Galat & A. G. Frazier (eds.) *Overview of river-floodplain ecology in the upper Mississippi River basin. Vol. 3 of J. A. Kelmelis (ed.) Science for floodplain management into the 21st century.* U.S. Government Printing Office, Washington, DC:91-112.
- Sparks, R. E. 1992. Risks of altering the hydrologic regime of large rivers. In J. Cairns Jr., B. R. Niederlehner & D. R. Orvos (eds.) *Predicting ecosystem risk. Vol XX: Advances in Modern Environmental Toxicology.* Princeton Scientific Publ. Co., Princeton:119–152.
- Sparks, R. E. 1995. Need for ecosystem management of large rivers and their floodplains. *BioScience* 45:168-182.
- Sparks, R. E., P. B. Bayley, S. L. Kohler & L. L. Osborne. 1990. Disturbance and recovery of large floodplain rivers. *Environ. Manage.* 14:699-709.
- Sparks R. E., J. C. Nelson & Y. Yin. 1998. Naturalization of the flood regime in regulated rivers. *BioScience* 48:706-720.
- Stalnaker, C. B., R. T. Milhous & K. D. Bovee. 1989. Hydrology and hydraulics applied to fishery management in large rivers. *Can. Spec. Publ. Fish. Aquat. Sci* 106:13-30.
- Stanford, J. A., J. V. Ward, W. J. Liss, C. A. Frissell, R. N. Williams, J. A. Lichatowich & C. C. Coutant. 1996. A general protocol for restoration of regulated rivers. *Reg. Rivers: Res. Manage.* 12:391-413.
- Terrell, J. W., T. E. McMahon, P. D. Inskip, R. F. Raleigh & K. L. Williamson. 1982. Habitat suitability index models: Appendix A. Guidelines for riverine and lacustrine applications of fish HSI models with the habitat evaluation procedures. FWS/OBS-82/10A, Fish and Wildlife Service, Washington, DC.
- Tibbs, J. E. & D. L. Galat. 1998. The influence of river stage on endangered least terns and their fish prey in the Mississippi River (USA). *Reg. Rivers: Res. Manage.* 14:257-266.

- Toth L. A., S. L. Melvin, D. A. Arrington & J. Chamberlain. 1998. Hydrologic manipulations of the channelized Kissimmee River. *BioScience* 48:757-764.
- U.S. Army Corps of Engineers. 1996. Summary of engineering data—Missouri River mainstem reservoirs. U.S. Army Corps of Engineers, Missouri River Division, Omaha, Nebraska.
- U.S. Bureau of Reclamation. 1970. Report on studies of dust abatement at Canyon Ferry Lake. Canyon Ferry Unit, Helena-Great Falls Division, U.S. Bureau of Reclamation, Billings, Montana.
- U.S. Fish & Wildlife Service. 1994. Endangered and threatened wildlife and plants; animal candidate review for listing as endangered or threatened species; Proposed rule. Dept. Interior, Fish & Wildlife Service, *Federal Register*, 50 CFR Part 17, 50(219):58982–59028.
- U.S. Fish & Wildlife Service. 1995. Endangered and threatened wildlife and plants. Dept. Interior, Fish & Wildlife Service, *Federal Register*, 50 CFR Parts 17.11 & 17.12:1-44.
- Vannote, R. L., G. W. Minshall, K. W. Cummins, J. R. Sedell & C. E. Cushing. 1980. The river continuum concept. *Can. J. Fish. Aquat. Sci.* 37:130-137.
- Walker, K. F., F. Sheldon & J. T. Pukridge. 1995. A perspective on dryland river ecosystems. *Reg. Rivers: Res. Manage.* 11:85-104.
- Ward, J. V. 1989. Riverine-wetland interactions. In R. Sharitz & J. Gibbons (eds.) Freshwater wetlands and wildlife. CONF-8603101, DOE Symposium Series No. 61, U.S. Dept. of Energy, Office of Scientific and Technical Information, Oak Ridge, Tennessee:385-399.
- Ward, J. V. & J. A. Stanford. 1983. The serial discontinuity concept of lotic ecosystems. In T. D. Fontaine III & S. M. Bartell (eds.) Dynamics of lotic ecosystems. Ann Arbor Science, Ann Arbor, Michigan:29-42.
- Welcomme, R. L. 1985. River fisheries. FAO Fisheries Technical Paper 262. Food & Agr. Organization of the United Nations, Rome.
- Welcomme, R. L., R. A. Ryder & J. A. Sedell. 1989. Dynamics of fish assemblages in river systems—a synthesis. *Can. Spec. Publ. Fish. Aquat. Sci.* 106:569-577.
- White, R. G. & R. G. Bramblett. 1993. The Yellowstone River: its fish and fisheries. In L. W. Hesse, C. B. Stalnaker, N. G. Benson & J. R. Zuboy (eds.) Restoration planning for the rivers of the Mississippi River ecosystem. Biol. Rep. 19, National Biological Survey, Washington, DC:396-414.
- Whitley, J. R. & R. S. Campbell. 1974. Some aspects of water quality and biology of the Missouri River. *Trans. Missouri Acad. Sci.* 7-8:60-72.

Whitmore, S. B. & K. D. Keenlyne. 1990. Rare, threatened and endangered endemic species of the Missouri River floodplain. Report MRC-90-1, U.S. Fish and Wildlife Service, Missouri River Coordinator's Office, Pierre, South Dakota.